

# DIGI-WAVE<sup>TM</sup> TOUR GUIDE SYSTEMS 10 2.0, 20 2.0, VIP 12 & TTGS 10 2.0



## [ BRAINSTORM... INFORM... REACH A CONSENSUS ]

One- and two-way, wireless tour guide systems in the 2.4 GHz band. Enhance communication between tour guide and tour group members. Help overcome background noise and distance from the tour guide. These can be used in factories, museums, tourist attractions or bus tours.

## Digi-Wave Tour Guide System 10 (DWS TGS 10)

is a one-way system, designed for smaller tour groups of 10 or fewer members. Group members have listen-only capabilities.

### Digi-Wave Tour Guide System 20 (DWS TGS 20)

is a one-way system, designed for tour groups of up to 20 members. Group members have listen-only capabilities.



# DIGI-WAVE<sup>™</sup> TOUR GUIDE SYSTEMS 10, 20, VIP 12 & TTGS 10





## Digi-Wave Team Tour Guide System 10 (DWS

**TTGS 10)** is a two-presenter, one-way system, designed to allow two tour guides to combine skills and guide as a team to a group. Group members can hear both guides at once.

## Digi-Wave Tour Guide System VIP (DWS TGS VIP

**12)** is a two-way system, designed to allow two (or more) tour guides to combine skills and guide as a team to a group. Group members can hear both tour guides and participate as listen-only or can access two-way mode with the push of a button.



# DIGI-WAVE<sup>TM</sup> TOUR GUIDE SYSTEMS 10, 20, VIP 12 & TTGS 10

## FEATURES / BENEFITS

- **NEW!** DLR 60 2.0 receivers feature the ease of dynamic group change
- **NEW!** Larger LCD display on DLR 60 receiver easy to read status and manage settings
- Set-up lock (SLOC) enables administrator to lock each DLT 100 2.0 to prevent unauthorized changes to a Digi-Wave system set-up. (Applicable to DWS tgs vip 12 system only)
- Four digit secure key, entered into each group members' DLT 100 2.0, prevents unauthorized individuals from listening in on the group.
   (Applicable to DWS TGS VIP 12 system only)
- Expandable systems that permits multiple presenters, unlimited participants
- Easy-to-use, push-to-talk functionality
- Crystal-clear audio
- 2.4 GHz operation is legal for use in most countries
- Frequency-hopping technology is subject to less interference, means higher degree of reliability.
- Completely portable; no base station needed.
- All set-up control through master unit (DLT-100 2.0)
- More cost-effective than multiple wireless microphones using a mixer
- Range rated at 200' indoors/100' outdoors, depending on environmental conditions
- Four groups can be operating simultaneously within a 200' range. Outside of this range, additional groups can be operating simultaneously.

## SYSTEMS INCLUDE DWS TGS 10 (1-Way)

(1) DLT 100 2.0 transceiver
 (10) DLR 60 2.0 receivers
 (10) BAT 010-2 AAA alkaline batteries
 (1) MIC 044 2P headset microphone
 (10) EAR 022 earphones
 (1) CCS 044 silicone skin
 (1) CCS 030 DW 16 system carry case

## DWS TGS 20 (1-way)

(1) DLT 100 2.0 transceiver
 (20) DLR 60 2.0 receivers
 (20) BAT 010-2 AAA alkaline batteries
 (1) MIC 044 2P headset microphone
 (20) EAR 022 earphones
 (1) CCS 044 silicone skin
 (1) CCS 030 DW 16 system carry case

## DWS TGS VIP 12 (1 or 2-way)

(12) DLT 100 2.0 transceivers
(12) MIC 044 2P headset microphones
(12) CCS 044 silicone skins
(1) CCS 042 DW system carry case

## DWS TTGS 10 (1-way)

- (2) DLT 100 2.0 transceivers
  (10) DLR 60 2.0 receivers
  (10) BAT 010-2 AAA alkaline batteries
  (2) MIC 044 2P headset microphones
  (10) EAR 022 earphones
  (2) CCS 044 silicone skins
  (1) CHG 102 two-bay charger
- (1) CCS 042 DW system carry case



800.843.3544 / info@williamssound.com / www.williamssound.com