





"ONE'S DESTINATION IS NEVER A PLACE, BUT A NEW WAY OF SEEING THINGS. ... Henry Miller

One- and two-way, wireless tour guide systems in the 2.4 GHz band. Enhance communication between tour guide and tour group members. Help overcome background noise and distance from the tour guide. These can be used in factories, museums, tourist attractions or bus tours.

Digi-Wave Tour Guide System 10 (DWS TGS 10) is a one-way system, designed for smaller tour groups of 10 or fewer members. Group members have listenonly capabilities.

Digi-Wave Tour Guide System 20 (DWS TGS 20) is a one-way system, designed for tour groups of up to 20 members. Group members have listen-only capabilities.





S TGS VIP 12 DWS TTGS 10
(1- or 2-Way) (1-Way)

Digi-Wave Tour Guide System VIP (DWS TGS VIP 12) is a two-way system, designed to allow two or more tour guides to combine skills and guide as a team to a group. Group members can participate as listen-only or can access two-way mode with the push of a button.

Digi-Wave Team Tour Guide System 10 (DWS TTGS 10) is a two-presenter, one-way system, designed to allow two or more tour guides to combine skills and guide as a team to a group. Group members have listen-only capabilities.



FEATURES/BENEFITS

- NEW! Set-up lock (SLOC) enables administrator to lock each DLT 100 to prevent unauthorized changes to a Digi-Wave system set-up.
 (Applicable to DWS tgs vip 12 system only)
- NEW! Four digit secure key, entered into each group members' DLT 100, prevents unauthorized individuals from listening in on the group.
 (Applicable to DWS tgs vip 12 system only)
- Expandable systems that permits multiple presenters, unlimited participants
- Easy-to-use, push-to-talk functionality
- Crystal-clear audio
- 2.4 GHz operation is legal for use in most countries
- Frequency-hopping technology is subject to less interference, means higher degree of reliability.
- Completely portable; no base station needed.
- All set-up menu control through master unit (DLT-100)
- More cost-effective than multiple wireless microphones and a mixer
- Range rated at 200' indoors/100' outdoors, depending upon environmental conditions
- Four groups can be operating simultaneously within a 200' range. Outside of this range, other groups can be in operation.

SYSTEMS INCLUDE

DWS TGS 10 (1-Way)

- (1) DLT-100 transceiver
- (10) DLR 50 receivers
- (1) MIC 044 2P headset microphone
- (10) EAR 022 earphones
- (1) CCS 044 silicone skin
- (1) CCS 030 DW 16 system carry case

DWS TGS 20 (1-way)

- (1) DLT-100 transceiver
- (20) DLR 50 receivers
- (1) MIC 044 2P headset microphone
- (20) EAR 022 earphones
- (1) CCS 044 silicone skin
- (1) CCS 030 DW 16 system carry case

DWS TGS VIP 12 (1- or 2-way)

- (12) DLT-100 transceivers
- (12) MIC 044 2P headset microphones
- (12) CCS 044 silicone skins
- (1) CCS 042 DW system carry case

DWS TTGS 10 (1-way)

- (2) DLT-100 transceivers
- (10) DLR 50 receivers
- (2) MIC 044 2P headset microphones
- (10) EAR 022 earphones
- (2) CCS 044 silicone skins
- (1) CHG 102 two-bay charger
- (1) CCS 042 DW system carry case



