

SPECIFICATION DATA

Houses of Worship • Conferences • Auditoriums • Music Applications


SPK 024

Powered Speaker




This versatile powered speaker accepts microphone, line or 72MHz receiver sled inputs satisfying needs for group listening, nursery, cry room, office or any location where a powered speaker is needed.

SPK 024 Powered Speaker



SPK 024 Front View



SPK 024 Back View

A164

Dimensions:	12.4"H x 7.1"W x 7.5"D (315mm x 180mm x 190mm)
Color:	Black with white legends
Weight:	9.4lb (4.3kg) approx.
Rated Power:	20 watts continuous
Frequency Response:	65Hz – 7kHz
Max SPL @ rated output:	101dB @ 1 meter
Woofers:	5.25" (133.35mm) high efficiency magnetically shielded
Tweeter:	1" (25mm) dome
Crossover:	1st order passive @ 8kHz
Tone Control:	-6dB/octave sliding lowpass (3kHz to 8kHz)

Wired inputs/output

Mic:	-81dBV (0.089mVRMS) for 1 watt 100KΩ unbalanced, 1/4 " phone jack, variable
Line:	-40dBV (10mVRMS) for 1 watt 10KΩ unbalanced, RCA jack, variable
Channel A, B	Slots for optional SLD 072 wireless receivers
Line-Out:	+15dBV max - RCA jack
AC Power Requirements:	User switchable 110-125 / 210-240VAC - 50Hz / 60Hz
Approvals:	UL, C-UL, RoHS, WEEE
Included w/speaker:	Removable wall-mount bracket with 2 screws and rubber anti-rotate pads, removable right-angle AC cord, 4 self-adhesive anti-skid pads, 4 module screws.

FM Remote Speaker

Bid Specs:

SPK 024

The Williams Sound SPK 024 shall have a 20 watt amplifier and two way speaker system with a 5.25" magnetically shielded woofer and a 1" dome tweeter. It shall be housed in a black heavy duty plastic enclosure 12.4" x 7.09" x 5.6" and weigh approximately 9 lbs.

The SPK 024 shall have an RCA jack for line input, RCA jack for line output, ¼" phone jack for unbalanced microphone input and two slots for SLD 072 wireless receiver modules. It shall have independent microphone and line input adjust and have master tone and volume rotary controls.

The SPK 024 shall be AC powered, user selectable between 115 - 230VAC and be UL, C-UL, RoHS and WEEE compliant.

The SPK 024 shall be supplied with a wall mount bracket and have the ability to be mounted on a microphone stand (not supplied).

The SPK 024 shall have a two year warranty and be called the Williams Sound SPK 024.

Domestic Sales

Williams Sound
10300 Valley View Rd.
Eden Prairie, MN 55344
Ph: 800-328-6190 / 952-943-2252
FAX: 952-943-2174
Email: info@williamssound.com
Web: www.williamssound.com

International Sales

International Sales Department
Williams Sound
10300 Valley View Rd.
Eden Prairie, MN 55344 USA
Phone: +1 952 943 2252
Fax: +1 952 943 2174
Email: info@williamssound.com
Web: www.williamssound.com



WILLIAMS SOUND®
HELPING PEOPLE HEAR

800.843.3544 / info@williamssound.com / www.williamssound.com